MISSISSIPPI® Discovering what's possible with calcium

SAFETY DATA SHEET

1. Identification

Product identifier Code H Other means of identification None.

Recommended use Code H is a by-product of hydrated lime manufacturing, of variable composition. It is mostly

calcium hydroxide with additional mineral impurities. Commercial applications include acid

neutralization, agricultural and construction.

Not for food or food contact applications. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information Manufacturer: Mississippi Lime Company Address: 16147 US Highway 61

Ste Genevieve, MO 63670

(800) 437-5463

24 Hour Emergency **Contact Number:**

2. Hazard(s) identification

Physical hazards Not classified.

Skin corrosion/irritation **Health hazards** Category 2

> Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

OSHA defined hazards Not classified.

Label elements



Signal word

Hazard statement Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Harmful to

aquatic life.

Precautionary statement

Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated Prevention

area. Avoid release to the environment. Wear eye protection/face protection. Wear protective

gloves.

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable Response

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. **Storage**

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Contact with moisture or water may generate sufficient heat to ignite nearby combustible

materials.

Supplemental information None.

3. Composition/information on ingredients

Substances

Code H SDS US 1/8

947473 Version #: 02 Revision date: 06-September-2019 Issue date: 16-January-2019

Chemical name	Common name and synonyms	CAS number	%
Calcium hydroxide		1305-62-0	50 - 90
Impurities Chemical name		CAS number	%
Calcium oxide		1305-78-8 ≤ 30	
Calcium carbonate		471-34-1	≤ 15
Calcium silicate		1344-95-2	≤ 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison Inhalation

center or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Do not rub eves. Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Most important

vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory symptoms/effects, acute and tract, skin and eyes. Coughing. Skin irritation. May cause redness and pain. delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Indication of immediate Symptoms may be delayed. medical attention and special

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical General information personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

treatment needed

Use fire-extinguishing media appropriate for surrounding materials. DO NOT use water if Suitable extinguishing media

avoidable. If water is used, apply flooding amounts to dissipate heat of dilution.

DO NOT use water if avoidable. The product reacts with water and will generate heat. Unsuitable extinguishing

media

Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Use water spray to cool unopened containers. Move containers from fire area if you can do it Fire fighting equipment/instructions without risk. In case of fire and/or explosion do not breathe fumes.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards The product is nonflammable and does not support combustion.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not get water inside containers. Prevent entry into waterways, sewer, basements or confined areas.

Small Spills: Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Collect spill using a vacuum cleaner with a HEPA filter. Put material in suitable, covered, labeled containers.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

SDS US Code H 947473 2/8 Version #: 02 Revision date: 06-September-2019 Issue date: 16-January-2019

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get this material in contact with eyes. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Avoid contact with acids, water, and moisture. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Contaminants (29 CFR 1910.1 Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
Impurities	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	PEL	5 mg/m3	
Calcium silicate (CAS 1344-95-2)	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Impurities	Туре	Value	Form
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Calcium silicate (CAS 1344-95-2)	TWA	1 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chemi	cal Hazards		
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Impurities	Туре	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Calcium oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Calcium silicate (CAS 1344-95-2)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values
Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station and safety shower.

Code H SDS US

Individual protection measures, such as personal protective equipment

Eye/face protection When working with powders or dusts, wear dust-proof chemical goggles and face shield unless full

facepiece respiratory protection is worn.

Skin protection

Hand protection Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to

dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Granular or powder.

Color Gray to off-white.

Odor Odorless
Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Does not flash
Evaporation rate Not available.
Flammability (solid, gas) Not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressure None

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not Soluble
Solubility (solvents) Not Soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Non

Decomposition temperature 1292 - 1472 °F (700 - 800 °C)

Viscosity Not available.

Other information

reactions

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Contact with water may generate enough heat to ignite combustible materials. Exothermic reaction

with acids.

Code H SDS US
947473 Version #: 02 Revision date: 06-September-2019 Issue date: 16-January-2019 4 / 8

Conditions to avoid Exposure to moisture. Contact with incompatible materials.

Incompatible materials Water. Acids. Maleic anhydride. Nitroethane. Nitroparaffins. Nitropropane.

Phosphorus. Some metals.

Hazardous decomposition

products

Calcium oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation. May cause redness and pain. Dermatitis. Rash. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.

Coughing.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Calcium hydroxide (CAS 1305-62-0)

Acute Oral

LD50 Rat 7340 mg/kg
Impurities Species Test Results

Calcium carbonate (CAS 471-34-1)

Acute Oral

LD50 Rat 6450 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Code H SDS US

Species Test Results Components

Calcium hydroxide (CAS 1305-62-0)

Aquatic Acute

LC50 Fish Zambezi barbel (Clarias gariepinus) 33.9 mg/l, 96 hours

Persistence and degradability The product contains inorganic compounds which are not biodegradable.

Bioaccumulative potential No data available on bioaccumulation. Mobility in soil The product is insoluble in water.

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic Other adverse effects

organisms.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

> material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

This substance is on the TSCA 8(b) inventory and is designated "active". **Toxic Substances Control Act (TSCA)**

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Skin corrosion or irritation

categories Serious eve damage or eve irritation

Specific target organ toxicity (single or repeated exposure)

Code H 6/8 947473 Version #: 02 Revision date: 06-September-2019 Issue date: 16-January-2019

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Calcium hydroxide (CAS 1305-62-0) Calcium oxide (CAS 1305-78-8) Calcium silicate (CAS 1344-95-2)

US. New Jersey Worker and Community Right-to-Know Act

Calcium hydroxide (CAS 1305-62-0) Calcium oxide (CAS 1305-78-8) Calcium silicate (CAS 1344-95-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium hydroxide (CAS 1305-62-0) Calcium oxide (CAS 1305-78-8) Calcium silicate (CAS 1344-95-2)

US. Rhode Island RTK

Calcium hydroxide (CAS 1305-62-0) Calcium oxide (CAS 1305-78-8) Calcium silicate (CAS 1344-95-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 16-January-2019
Revision date 06-September-2019

United States & Puerto Rico

Version # 02
HMIS® ratings Health: 3
Flammability: 0

Physical hazard: 1

Code H SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

Mississippi Lime Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Code H SDS US