

SAFETY DATA SHEET

1. Identification

Product identifier	MLC™ Quicklime - Ste. Genevieve		
Other means of identification CAS number	1305-78-8		
Recommended use	Industrial uses		
	Product code(s): Lime, Quicklime - Various Gr Quicklime Pulverized, Quicklime Pulverized 70 Flow Treat	adiations, Granular Quicklime, Calcium Oxide,), Quicklime Pulverized 100, Quicklime Pulverized	
Recommended restrictions	Not for use as direct food or pharma ingredien	ts.	
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer:	Mississippi Lime Company d/b/a MLC		
Address:	16147 US Highway 61		
	Ste Genevieve, MO 63670		
Phone Number:	(800) 437-5463		
24 Hour Emergency Contact Number:	(866) 519-4752		
Access code:	336393		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 1C	
	Serious eye damage/eye irritation	Category 1	
	Carcinogenicity	Category 1A	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes severe skin burns and eye damage. May cause respiratory irritation. May cause cancer. Harmful to aquatic life.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment.		
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.		
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		

3. Composition/information on ingredients

Substances

Substances			
Chemical name	Common name and synonyms	CAS number	%
Calcium oxide (CaO)		1305-78-8	97 - 99
Impurities			
Chemical name	Common name and synonyms	CAS number	%
Magnesium Oxide		1309-48-4	≤ 1
Silicon Oxide		7631-86-9	≤ 1
Quartz		14808-60-7	≤ 0.5
Composition comments	Occupational Exposure Limits for impurities are listed in Section 8. All concentrations are in percent by weight.		entrations are in
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathin give artificial respiration. Call a poison center or doctor/physician if you feel unwell.		5 5
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with wat immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.		d area. Call an
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		eek medical advice of the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Use fire-extinguishing media appropriate for	surrounding materials.	
Unsuitable extinguishing media	Do not use water as an extinguisher. The product reacts with water and will generate heat.		generate heat.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers. Move containers from fire area if you can do it without risk. In case of fire and/or explosion do not breathe fumes.		ea if you can do it
Cupacific mathemat	Line standard firstighting procedures and sor	aider the bezerde of other income	lucid menteriale

Use standard firefighting procedures and consider the hazards of other involved materials.

The product is nonflammable and does not support combustion.

6. Accidental release measures

Specific methods

General fire hazards

Personal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a
NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding
the exposure limits. Do not touch damaged containers or spilled material unless wearing
appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if
significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not get water inside containers. Prevent entry into waterways, sewer, basements or confined areas.
	Small Spills: Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Collect spill using a vacuum cleaner with a HEPA filter. Put material in suitable, covered, labeled containers.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Avoid contact with acids, water, and moisture. Protect from humidity. The substance is hygroscopic and will absorb water by contact with the moisture in the air. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA Impurities	Туре	Value	
Silicon Oxide (CAS 7631-86-9)	TWA	80 mg/m3	

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	
Calcium oxide (CaO) (CAS 1305-78-8)	PEL	5 mg/m3	
Impurities	Туре	Value	Form
Magnesium Oxide (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 Permissible E	xposure Limits (PEL) for Min	eral Dusts (29 CFR 1910.1000))
Impurities	Туре	Value	Form
Magnesium Oxide (CAS 1309-48-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction
Silicon Oxide (CAS 7631-86-9)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		20 mppcf	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values	; (TLV)		
Material	Туре	Value	
Calcium oxide (CaO) (CAS 1305-78-8)	TWA	2 mg/m3	

Impurities	Туре	Value	Form
Magnesium Oxide (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
NIOSH. Immediately Dange Material	rous to Life or Health (IDLH) Values, Type	as amended Value	
Calcium oxide (CaO) (CAS 1305-78-8)	IDLH	25 mg/m3	
Impurities	Туре	Value	
Magnesium Oxide (CAS 1309-48-4)	IDLH	750 mg/m3	
Silicon Oxide (CAS 7631-86-9)	IDLH	3000 mg/m3	
Quartz (CAS 14808-60-7)	IDLH	50 mg/m3	
US. NIOSH: Pocket Guide to			
Material	Туре	Value	
Calcium oxide (CaO) (CAS 1305-78-8)	TWA	2 mg/m3	
Impurities	Туре	Value	Form
Silicon Oxide (CAS 7631-86-9)	TWA	6 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted t	for the ingredient(s).	
propriate engineering trols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recor established, maintain airborne levels sufficient to maintain concentrations (OEL), suitable respiratory protection must be available when handling thi	local exhaust ventilation, or othe mmended exposure limits. If exp s to an acceptable level. If engine of dust particulates below the C n must be worn. Eye wash facilit	er engineering controls to osure limits have not been eering measures are not occupational Exposure Lim
vidual protection measures	, such as personal protective equipr	•	
Eye/face protection	When working with powders or dusts, wear dust-proof chemical goggles and face shield unless facepiece respiratory protection is worn.		
Skin protection			
Hand protection	Wear appropriate chemical resistant supplier.	t gloves. Suitable gloves can be	recommended by the glov
Skin protection			
Other	Wear appropriate chemical resistant clothing. Apron with long sleeves or two piece chemical protective clothing, and rubber boots are recommended.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear NIOSH approved respirator appropriate for airborne exposure at the point of use. In the United States of America, if respirat are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9 Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Light grey - White
Odor	Odorless.

Odor threshold	Not available.
рН	> 12.4 Saturated solution in water
Melting point/freezing point	4661.6 °F (2572 °C)
Initial boiling point and boiling range	5162 °F (2850 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Non flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Reacts to form calcium hydroxide.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	3.34 g/cm3
Explosive properties	Not explosive.
Molecular formula	Ca-O
Molecular weight	56.08 g/mol
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
De settestes	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under the prescribed storage conditions.
Possibility of hazardous reactions	Strong exothermic reaction with acids. Calcium oxide reacts exothermically with water to form calcium hydroxide. The heat generated by this reaction may ignite combustible materials.
Conditions to avoid	Contact with incompatible materials. The substance is hygroscopic and will absorb water by contact with the moisture in the air.
Incompatible materials	Acids. Water, moisture. Humid air. Hydrogen fluoride. Phosphorus pentoxide. Boric oxide. Steam. Many organic materials.
Hazardous decomposition products	Contact with water: Calcium hydroxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity

Not expected to be acutely toxic.

Germ cell mutagenicityNo data available in mutagenic or gend May cause cancerCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcia Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)NTP Report on Carcinogens Quartz (CAS 14808-60-7)This product is not May cause respirationSpecific target organ toxicity - repeated exposureThis product is not May cause respiration hazardSpecific target organ toxicity - repeated exposureNot classified.EcotoxicityHarmful to aquatic The product solelyBioaccumulative potential Mobility in soilNo data available of organisms.Other adverse effectsThe product may a organisms.Disposal instructionsCollect and reclain with chemical or us local/regional/naticLocal disposal regulationsDispose in accord		
Acute Dermal LD50RabbitInhalation Dust LC50RatCoral LD50RatSkin corrosion/irritationCauses severe skitSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitization Respiratory sensitizationNot a respiratory sensitizationRespiratory or skin sensitization Germ cell mutagenicityNot a respiratory sensitization mutagenic or gencCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)May cause cancerNTP Report on Carcinogens Quartz (CAS 14808-60-7)May cause respiratory sensitization of Carcin Quartz (CAS 14808-60-7)Specific ally RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific ally RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific arget organ toxicity - genetid exposureNot classified.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposureNot an aspiration hazardAspiration hazardNot an aspiration fChronic effectsThe product solelyBioaccumulative potential Mobility in soilNo data available of organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulationsDispose in accord	Test Results	
Dermal LD50RabbitLD50RabbitInhalation Dust LC50RatCoral LD50RatSkin corrosion/irritationCauses severe skitSerious eye damage/eye irritationCauses serious eyerespiratory or skin sensitization Respiratory sensitizationNot a respiratory sensitization mutagenic or gendGerm cell mutagenicityMo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specifically RegulatedSpecifically RegulatedSpecific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureEcotoxicityHarmful to aquatic Persistence and degradabilityNo data available of Mobility in soilNo data available of organisms.13. Disposal considerationsCallect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulationsDispose in accordation<		
LD50RabbitInhalationDustLC50RatOralLD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitization Respiratory sensitizationNot a respiratory s mutagenic or gendRespiratory or skin sensitization Germ cell mutagenicityNot a respiratory s May cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)May cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)May cause cancerQuartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)May cause respiratoryReproductive toxicity Quartz (CAS 14808-60-7)This product is notSpecific target organ toxicity - repeated exposureMay cause respiratorySpecific target organ toxicity - repeated exposureNot classified.Specific target organ toxicity - repeated exposureNot classified.12. Ecological informationNot classified.Ecotoxicity Bioaccumulative potential Mobility in soilNo data available f Mobility in soil13. Disposal considerations tis material to dra with chemical or u local/regional/naticLocal disposal regulationsDispose in accord		
InhalationDustLC50RatOralLD50LD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitization Respiratory sensitizationNot a respiratory s mutagenic or gendRespiratory or skin sensitization Germ cell mutagenicityNot a respiratory s mutagenic or gendCarcinogenicityNo data available i mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot an aspiration f Chronic effectsProlonged inhalation12. Ecological informationEcotoxicityHarmful to aquatic Persistence and degradabilityPhe product may a organisms.13. Disposal considerationsCalect and reclain this material to dra with chemical or u local/regional/naticLocal disposal regulationsDispose in accord	> 5000 mg/kg 24 Hours	
Dust LC50RatOral LD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitization Respiratory sensitizationNot a respiratory s mutagenic in product is notRespiratory sensitizationNot a respiratory s mutagenic or genceGerm cell mutagenicityNo data available f mutagenic or genceCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcii Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot an aspiration f Chronic effectsProlonged inhalatii12. Ecological informationEcotoxicityHarmful to aquatic No data available of No data available of No data available of organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulationsDispose in accord	> 5000 mg/kg, 24 Hours	
LC50RatOral LD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitizationNot a respiratory sensitizationRespiratory sensitizationThis product is notGerm cell mutagenicityNo data available f mutagenic or gencCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - guartz (CAS 14808-60-7)May cause respiratorSpecific target organ toxicity - single exposureNot classified.Specific target organ toxicity - single exposureNot classified.Specific target organ toxicity - repeated exposureNot an aspiration hAspiration hazardNot an aspiration hChronic effectsProlonged inhalatie12. Ecological informationNo data available fPersistence and degradabilityNo data available fMobility in soilNo data available fMobility in soilNo data available fOther adverse effectsThe product may a organisms.13. Disposal instructionsCollect and reclain this material to dra with chemical or u local/regional/naticLocal disposal regulationsDispose in accord		
Oral LD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitizationRot a respiratory sensitizationRespiratory sensitizationNot a respiratory sensitizationGerm cell mutagenicityNo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot an aspiration f Chronic effectsPersistence and degradability Bioaccumulative potential Mobility in soilNo data available f Other adverse effectsIsposal instructionsCollect and reclain this material to dra with chemical or u local/regional/naticLocal disposal regulationsDispose in accord	> 0.14 mg/l, 4 Hours	
LD50RatSkin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitizationNot a respiratory sensitizationRespiratory sensitizationThis product is notGerm cell mutagenicityNo data available i mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carci Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - asingle exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot an aspiration f Chronic effectsProlonged inhalati12. Ecological informationEcotoxicityHarmful to aquatic Mobility in soilNo data available f Other adverse effectsDisposal instructionsCollect and reclain this material to dra with chemical or u local/regional/naticLocal disposal regulationsDispose in accord	- 0.14 mg/l, 4 mours	
Skin corrosion/irritationCauses severe skiSerious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitizationRespiratory sensitizationRespiratory sensitizationNot a respiratory sensitizationGerm cell mutagenicityNo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)Quartz (CAS 14808-60-7) Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureAspiration hazardChronic effectsPersistence and degradabilityBioaccumulative potential Mobility in soilNo data available of organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulations	> 3300 mg/kg	
Serious eye damage/eye irritationCauses serious eyeRespiratory or skin sensitization Respiratory sensitizationNot a respiratory s mutagenicitySkin sensitizationThis product is not mutagenic or genceGerm cell mutagenicityNo data available i mutagenic or genceCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSpecific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardAspiration hazardChronic effectsProlonged inhalatie12. Ecological informationEcotoxicityHarmful to aquatic Presistence and degradabilityBioaccumulative potential Mobility in soilNo data available of Mobility in soilOther adverse effectsThe product may a organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or u local/regional/naticLocal disposal regulations		
Respiratory sensitizationNot a respiratory sensitizationSkin sensitizationThis product is notGerm cell mutagenicityNo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardChronic effectsProlonged inhalationEcotoxicityBioaccumulative potential Mobility in soilNo data available of organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulations		
Respiratory sensitizationNot a respiratory sensitizationSkin sensitizationThis product is notGerm cell mutagenicityNo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardChronic effectsProlonged inhalationEcotoxicityBioaccumulative potential Mobility in soilNo data available f organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulations		
Germ cell mutagenicityNo data available f mutagenic or gendCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)May cause cancerNTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)Reproductive toxicityThis product is notSpecific target organ toxicity - repeated exposureMot classified.Specific target organ toxicity - repeated exposureNot an aspiration fChronic effectsProlonged inhalation12. Ecological informationHarmful to aquaticPersistence and degradabilityNo data available fMobility in soilNo data available fOther adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulationsDispose in accord	ensitizer.	
Mutagenic or gencCarcinogenicityMay cause cancerIARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSubstances (29 C Quartz (CAS 14808-60-7)OSHA Specifically RegulatedSpecific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardAspiration hazardChronic effectsProlonged inhalationEcotoxicityHarmful to aquatic Persistence and degradabilityBioaccumulative potential Mobility in soilNo data available of Other adverse effectsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulations	expected to cause skin sensitization.	
IARC Monographs. Overall Evaluation of Carcin Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)Reproductive toxicityThis product is notSpecific target organ toxicity - repeated exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot classified.Prolonged inhalatie12. Ecological informationEcotoxicityHarmful to aquatic The product solelyBioaccumulative potential Mobility in soilNo data available of The product may a organisms.Other adverse effectsCollect and reclain this material to dra with chemical or us local/regional/naticLocal disposal regulationsDispose in accord	to indicate product or any components present at greater than 0.1% are otoxic.	
Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-86-9)NTP Report on Carcinogens Quartz (CAS 14808-60-7)OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)Reproductive toxicityThis product is not Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureAspiration hazardNot classified.Chronic effectsProlonged inhalationEcotoxicityHarmful to aquatic The product solelyBioaccumulative potentialNo data available of organisms.Mobility in soilNo data available of organisms.Other adverse effectsCollect and reclain this material to dra with chemical or ut local/regional/natioLocal disposal regulations		
Silicon Oxide (CAS 7631-86-9) NTP Report on Carcinogens Quartz (CAS 14808-60-7) OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7) Reproductive toxicity This product is not Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Not classified. Prolonged inhalation Chronic effects Prolonged inhalation 12. Ecological information Ecotoxicity Harmful to aquatice Persistence and degradability Bioaccumulative potential No data available of Mobility in soil No data available of Other adverse effects The product may a organisms. 13. Disposal considerations Disposal instructions Collect and reclain this material to dra with chemical or us local/regional/natio	nogenicity	
Quartz (CAS 14808-60-7)OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)Reproductive toxicityThis product is not Specific target organ toxicity - single exposureSpecific target organ toxicity - repeated exposureMay cause respirationSpecific target organ toxicity - repeated exposureNot classified.Aspiration hazardNot an aspiration h Prolonged inhalationChronic effectsProlonged inhalationEcotoxicityHarmful to aquatic The product solelyBioaccumulative potential Mobility in soilNo data available of organisms.Other adverse effectsThe product may a organisms.Disposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.	
OSHA Specifically Regulated Substances (29 C Quartz (CAS 14808-60-7)Reproductive toxicityThis product is not Specific target organ toxicity - single exposureSpecific target organ toxicity - single exposureMay cause respirationSpecific target organ toxicity - repeated exposureNot classified.Aspiration hazardNot an aspiration h Prolonged inhalationChronic effectsProlonged inhalationEcotoxicityHarmful to aquatic The product solelyBioaccumulative potential Mobility in soilNo data available of organisms.Other adverse effectsThe product may a organisms.Jisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	Known To Be Human Carcinogen.	
Reproductive toxicityThis product is notSpecific target organ toxicity - single exposureMay cause respiratSpecific target organ toxicity - repeated exposureNot classified.Aspiration hazardNot an aspiration hChronic effectsProlonged inhalation12. Ecological informationHarmful to aquaticPersistence and degradabilityNo data available of No data available of Other adverse effects13. Disposal considerationsCollect and reclain this material to dra with chemical or ut local/regional/natioLocal disposal regulationsDispose in accord		
Specific target organ toxicity - single exposureMay cause respiration single exposureSpecific target organ toxicity - repeated exposureNot classified.Aspiration hazardNot an aspiration h Prolonged inhalationChronic effectsProlonged inhalation12. Ecological informationHarmful to aquationEcotoxicityHarmful to aquationPersistence and degradabilityNo data available of No data available of Other adverse effectsDisposal instructionsCollect and reclain this material to drawith chemical or us local/regional/nationLocal disposal regulationsDispose in accorda	expected to cause reproductive or developmental effects.	
Specific target organ toxicity - repeated exposureNot classified.Aspiration hazardNot an aspiration h Prolonged inhalationChronic effectsProlonged inhalation12. Ecological informationHarmful to aquaticEcotoxicityHarmful to aquaticPersistence and degradabilityNot data available of No data available of No data available of No data available of Other adverse effects13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	May cause respiratory irritation.	
Aspiration hazardNot an aspiration hazardChronic effectsProlonged inhalation12. Ecological informationEcotoxicityHarmful to aquaticPersistence and degradabilityHor product solelyBioaccumulative potentialNo data available ofMobility in soilNo data available ofOther adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	Not classified.	
Chronic effectsProlonged inhalation12. Ecological informationEcotoxicityHarmful to aquaticPersistence and degradabilityThe product solelyBioaccumulative potentialNo data available ofMobility in soilNo data available ofOther adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	Not an aspiration hazard.	
12. Ecological informationEcotoxicityHarmful to aquaticPersistence and degradabilityThe product solelyBioaccumulative potentialNo data available ofMobility in soilNo data available ofOther adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord	Prolonged inhalation may be harmful.	
Persistence and degradabilityThe product solelyBioaccumulative potentialNo data availableMobility in soilNo data availableOther adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accord		
Bioaccumulative potential Mobility in soilNo data available No data available The product may a organisms.Other adverse effectsThe product may a organisms.13. Disposal considerationsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accorda	life.	
Mobility in soilNo data available ifOther adverse effectsThe product may a organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accordation	consists of inorganic compounds which are not biodegradable.	
Other adverse effectsThe product may a organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accordance	No data available on bioaccumulation.	
organisms.13. Disposal considerationsDisposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accordance	No data available for this product.	
Disposal instructionsCollect and reclain this material to dra with chemical or us local/regional/nationLocal disposal regulationsDispose in accorda	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.	
this material to drawith chemical or uslocal/regional/nationLocal disposal regulationsDispose in accordation		
	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazardous waste code The waste code st	Dispose in accordance with all applicable regulations.	
disposal company.		
	ance with local regulations. Empty containers or liners may retain some product rerial and its container must be disposed of in a safe manner (see: Disposal	

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

· · · · · · · · · · · · · · · · · · ·	
DOT	
UN number	UN1910
UN proper shipping name	Calcium oxide
Transport hazard class(es)	
Class	8
Subsidiary hazard	_
Label(s)	8
Packing group	
Environmental hazards	
Marine pollutant	No.
Special precautions for user	
	ground. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB8, IP3, T1, TP33
Packaging exceptions	154
Packaging non bulk	213
Packaging bulk	240
ΙΑΤΑ	
UN number	UN1910
UN proper shipping name	Calcium oxide
Transport hazard class(es)	
Class	8
Subsidiary hazard	-
Packing group	
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
IMDG	riced baroly molitablish, obe and emergency procedures before handling.
UN number	UN1910
UN proper shipping name	CALCIUM OXIDE
· · · ·	CALCIOM ONIDE
Transport hazard class(es)	0
Class	8
Subsidiary hazard	-
Packing group Environmental hazards	-
Marine pollutant	No.
EmS	Not assigned.
Special precautions for user	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes. SP 960. Read safety instructions, SDS and
	emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
15. Regulatory information	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Expe	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Sub	stance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency re	lease notification
Not regulated.	
OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1053)
Quartz (CAS 14808-6	0-7) Cancer
	lung effects
	immune system effects
MI CTM Quicklime Sta Conquique	

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazard	ous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation Carcinogenicity Specific target organ toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Contains component(s) regulated under the Safe Drinking Water Ad	ot.
US state regulations		
US. Massachusetts RTK - Su		
Calcium oxide (CaO) (CA3 Magnesium Oxide (CAS 1 Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-	309-48-4)	
US. New Jersey Worker and	Community Right-to-Know Act	
Calcium oxide (CaO) (CA Magnesium Oxide (CAS 1 Quartz (CAS 14808-60-7) US. Pennsylvania Worker an	309-48-4)	
Calcium oxide (CaO) (CA Magnesium Oxide (CAS 1 Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631- US. Rhode Island RTK	S 1305-78-8) 309-48-4)	
Calcium oxide (CaO) (CA	\$ 1305-78-8)	
Magnesium Oxide (CAS) Quartz (CAS 14808-60-7) Silicon Oxide (CAS 7631-	309-48-4)	
California Proposition 65		
	s product can expose you to SILICA, CRYSTALLINE QUARTZ, whic ifornia to cause cancer. For more information go to www.P65Warning	
California Proposition 6	5 - CRT: Listed date/Carcinogenic substance	
Quartz (CAS 14808-6	i0-7) Listed: October 1, 1988	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

MLC[™] Quicklime - Ste. Genevieve

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	27-September-2024
Revision date	-
Version #	01
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 1
NFPA ratings	

3 1

Disclaimer

Mississippi Lime Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.