



# CalCarb<sup>®</sup> AFM Athletic Field Marker

## TECHNICAL DATA SHEET

## Ground Calcium Carbonate

### Product Description

The Mississippi Lime CalCarb<sup>®</sup> Calcium Carbonate family of products is mined from the high purity formation in Ste. Genevieve, Missouri which consists of limestone with an average calcium carbonate content of 98.5%. CalCarb<sup>®</sup> AFM Athletic Field Marker is preferred for its brightness and easy handling characteristics.

#### Typical Chemical Properties

CaCO <sub>3</sub>	98.5%
Crystalline Silica	<0.5%
Moisture	0.1%
pH	8-9

#### Typical Physical Properties

-35 Mesh (500 µm)	99.9%
-60 Mesh (250 µm)	99.5%
-100 Mesh (150 µm)	95%
-200 Mesh (74 µm)	75%
-270 Mesh (53 µm)	65%
-325 Mesh (45 µm)	60%
Apparent Dry Bulk Density - Loose	73 lbs/ft <sup>3</sup>
Apparent Dry Bulk Density - Packed	105 lbs/ft <sup>3</sup>

### Available Certifications

- ✓ AWWA Standard B202-19
- ✓ ASTM Standard: C911-19



All information provided and recommendations made herein are intended to assist customers in determining whether our products are suitable for their applications. The values associated with all chemical and physical properties herein are typical values and are not intended to be used as product specifications or guarantees. ALL EXPRESS AND IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. We request that customers inspect and test our products before use in order to make their own final decision regarding suitability. We do not guarantee results, freedom from patent infringement, or suitability of resultant products for any suggested application with respect to the use of any formula or material described herein.

[mlc.com](http://mlc.com)

[sales@mlc.com](mailto:sales@mlc.com) | 800.437.5463

Ed. 11/2024